


## EC TYPE-EXAMINATION CERTIFICATE: 2056

**Product description: -** Personal Eye Protection – Spectacles & goggles

**Product identification: -** See Schedule

**Manufacturer: -** INFIELD SAFETY GmbH  
Nordstrasse 10 a  
42719 Solingen  
Germany

When assessed and examined against harmonised standards EN166:1995, EN166:2001, EN172, EN170 and EN169 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

**Signed:**   
Helen Taft, Certification Manager


**Date:** 16<sup>th</sup> May 2018

**For and on behalf of INSPEC International Ltd.**  
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ  
England (Notified Body No: 0194)

**Certification remains valid until 31<sup>st</sup> January 2023, providing compliance with INSPEC's terms and conditions is maintained.**

**Original date of issue: 28<sup>th</sup> May 2010**

For terms and conditions of issue, see page 2





## Terms and Conditions

Reference Documents: -

i)	Test Reports	-	}	TF0682, TF1055, TF2429 and TF2056
ii)	Technical File	-		
iii)	Test and Inspection Plan	-		

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- v) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vi) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.



# CERTIFICATION INDEX

Item	Status	Issued	Amendment
Page 1 of 2	Withdrawn		
Page 2 of 2	Withdrawn		
Page 1 of 2 Amendment ONE)	Withdrawn		
Page 1 of 2 (Amendment TWO) Schedules ONE, TWO & THREE Schedule FOUR	Withdrawn Withdrawn	10/11/04	To change company name and add models Senator and Strator
Schedule FIVE	Withdrawn	14/6/05	To add additional lenses Red Mirror, Red-Brown Mirror, Light Green, Orange
Schedule SIX	Withdrawn	22/11/05	To add models EXOR, NESTOR AND NEMOR
Schedule SEVEN	Withdrawn	19/6/06	To add models VIPOR & MILOR
Page 1 of 2 (Amendment THREE)	Withdrawn	10/11/04	To change company name
Page 2 of 2 (Amendment ONE) Schedule EIGHT	Withdrawn Withdrawn	19/10/06	To add model SUPERIOR
Pages 1-4	Withdrawn	10/06/08	To add Astor XL (1F) and <b>Orange Red-UV400 (2-1.7)</b>
<b>Note above details transferred from certificate 0854</b>			
Pages 1 to 4	Withdrawn	100528	Added 'Gondor' models
Pages 1 to 4	Withdrawn	100817	Add welding 2 lens to lens options. Add welding lenses 2, 3 and 5 to Gondor NV
Pages 1 to 4	Withdrawn	110714	Added Endor, Flexor, Huntor, Condor, Windor, Impact 'T' added for Raptor and Terminator
Pages 1 to 5	Withdrawn	130131	Added Alligator, Nestor small, Ovor, Spidor, Velor, Varior & Victor Addition of 5 years validity
Pages 1 to 5	Withdrawn	130804	Addition of EN170, EN172 and EN169 on schedule page
Pages 1 to 5	Withdrawn	131030	Removed Nector small, add anti- reflex mirror lens

# CERTIFICATION INDEX

<b>Item</b>	<b>Status</b>	<b>Issued</b>	<b>Amendment</b>
Pages 1 to 6	Withdrawn	140710	Add Tektor, Tektor (Plano), Mirador, Terminator Xtra, Tensor (New), Windor XL and Victor Small
Pages 1 to 6	Withdrawn	150827	Reapply Senator as new model Add model Optor XXS, Vision 12 and Ontor
Pages 1 to 6	Withdrawn	161123	Add model Steelor, Vision 12 Small, Terminator Polarized and Flexor Plus
Pages 1 to 6	Withdrawn	170714	Add new models Pantor and Pantor Shield. Add coating options K, N, KN to goggles.
Pages 1 to 6	Withdrawn	180130	Addition of 5 years validity
Pages 1 to 6	Valid	180516	Upgrade impact level of model Ontor from F to FT. Add new models Defendor and Gondor Acetate. Add acetate lens for model Gondor Acetate.



# CERTIFICATION SCHEDULE

<b>Spectacles</b>																												
Model	Optical Class	Impact level	Polycarbonate Lenses	Scale																								
Raptor	1	Low Energy (FT)	<div style="font-size: 4em; line-height: 1; margin: 0;">}</div>	2-1.2 (EN170)																								
Tensor	1	Low Energy (F)		2C-1.2 (EN170)																								
Terminator	1	Low Energy (FT)		Smoke	5-2.5 (EN172)																							
Strator	1	Low Energy (F)		Brown	5-2.5 (EN172)																							
Exor	1	Low Energy (F)		Green	3-3 (EN170)																							
Nestor	1	Low Energy (F)		Amber	2-1.2 (EN170)																							
Milor	1	Low Energy (F)		Blue Mirror	5-2.5 (EN172)																							
Vipor	1	Low Energy (F)			3-2.5 (EN170)																							
Superior	1	Low Energy (F)		Light Gold Mirror	5-1.7 (EN172)																							
Astor XL	1	Low Energy (F)		Gold Mirror	5-2.5 (EN172)																							
Senator	1	Low Energy (F)		Silver Mirror	5-2.5 (EN172)																							
Navigator	1	Low Energy (F)		Orange	2-1.7 (EN170)																							
Endor	1	Low Energy (F)		Red Mirror	5-3.1 (EN172)																							
Flexor	1	Low Energy (F)		Red-Brown Mirror	2-3 (EN170)																							
Huntor	1	Low Energy (FT)		Light-Green	2-1.2 (EN170)																							
Condor	1	Low Energy (F)			2C-1.2 (EN170)																							
Windor	1	Low Energy (F)		Orange Red-UV400	2-1.7 (EN170)																							
Alligator	1	Low Energy (F)		Welding 2	2 (EN169)																							
Victor	1	Low Energy (F)		Welding 3	3 (EN169)																							
Ovor	1	Low Energy (F)		Welding 5	5 (EN169)																							
Spidor	1	Low Energy (F)		Anti-Reflex Mirror	2C-1.2 (EN170)																							
Velor	1	Low Energy (F)																										
Varior	1	Low Energy (F)																										
Tektor	1	Low Energy (F)																										
Tektor (Plano)	1	Low Energy (F)																										
Terminator Xtra	1	Low Energy (FT)		OPTION	DESCRIPTION																							
Tensor (New)	1	Low Energy (F)		K	HC – Lens																							
Windor XL	1	Low Energy (F)		N	Anti-Fog Lens																							
Victor Small	1	Low Energy (F H)																										
Optor XXS	1	Low Energy (F H)																										
Vision 12	1	Low energy (F)																										
Ontor	1	Low energy (FT)																										
Steelor	1	Low energy (F)																										
Vision 12 Small	1	Low energy (F)																										
Flexor Plus	1	Low Energy (FT)																										
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%; padding: 5px;">Terminator Polarized</td> <td style="width: 10%; text-align: center; padding: 5px;">1</td> <td style="width: 25%; padding: 5px;">Low Energy (FT)</td> <td style="width: 20%; vertical-align: middle; text-align: center;"> <div style="font-size: 4em; line-height: 1; margin: 0;">}</div> </td> <td style="width: 25%; padding: 5px;">Smoke Polarised lens</td> <td style="padding: 5px;">5-3.1 (EN172)</td> </tr> <tr> <td colspan="4"></td> <td style="padding: 5px;">OPTION</td> <td style="padding: 5px;">DESCRIPTION</td> </tr> <tr> <td colspan="4"></td> <td style="padding: 5px;">K</td> <td style="padding: 5px;">HC – Lens</td> </tr> <tr> <td colspan="4"></td> <td style="padding: 5px;">N</td> <td style="padding: 5px;">Anti-Fog Lens</td> </tr> </table>					Terminator Polarized	1	Low Energy (FT)	<div style="font-size: 4em; line-height: 1; margin: 0;">}</div>	Smoke Polarised lens	5-3.1 (EN172)					OPTION	DESCRIPTION					K	HC – Lens					N	Anti-Fog Lens
Terminator Polarized	1	Low Energy (FT)	<div style="font-size: 4em; line-height: 1; margin: 0;">}</div>	Smoke Polarised lens	5-3.1 (EN172)																							
				OPTION	DESCRIPTION																							
				K	HC – Lens																							
				N	Anti-Fog Lens																							
<b>Key: -</b> <b>S</b> Increased robustness <b>F</b> Low energy impact <b>FT</b> Low energy impact at extremes of temperature <b>H</b> Eye protectors for small head size																												

# CERTIFICATION SCHEDULE

## Goggles

Model	Optical Class	Goggle options	Polycarbonate Lenses	Scale
Aviator	1	Medium Energy B	Clear	2C-1.2 (EN170)
Nemor	1	Medium Energy B 3	Clear	2C-1.2 (EN170)
Gondor vented	1	Medium energy BT 349	Clear	2C-1.2 (EN170)
Gondor non-vented	1	Medium energy BT 3459	Clear Welding	2C-1.2 (EN170) 2 / 3 / 5(EN169)
Mirador	1	Medium Energy B	Clear Smoke	2C-1.2 (EN170) 5-2.5 (EN172)
Pantor	1	Medium Energy BT 349	Clear	2C-1.2 (EN170)
Pantor Shield	1	Medium Energy BT 349	Clear	2C-1.2 (EN170)
Defendor	1	Medium Energy BT 39	Clear Welding	2C-1.2 (EN170) 2 / 3 / 5 (EN169)
Gondor Acetate	1	Low Energy FT 34	Acetate <sup>1</sup>	2C-1.2 (EN170)

### Coating options for goggles' lens

**K** HC-Lens

**N** Anti-Fog Lens

**KN** Anti-fog/HC Lens

<sup>1</sup> available for applying coating option N only

### Key: -

**FT** Low energy impact at extremes of temperature

**B** Medium energy impact

**BT** Medium energy impact at extremes of temperature

Liquid Droplets (**3**), Large Dust particles (**4**), Gas and fine dust (**5**), Molten metals and hot solids (**9**)